ANNALES ZOOLOGICI FENNICI

Vol. 15 • 1978

PUBLISHED JOINTLY BY

FINNISH ACADEMY OF SCIENCES
SOCIETAS PRO FAUNA ET FLORA FENNICA

SOCIETAS SCIENTARUM FENNICA
SOCIETAS BIOLOGICA FFNNICA VANAMO

PB 248, SF-00170 HELSINKI 17, FINLAND

Contents

AHO, J.: Winter oxygen content in relation to water temperature and duration of ice cover in southern Finland ..... 1—7

AHO, J.: Freshwater snail populations and the equilibrium theory of island biogeography. I. A case study in southern Finland 146—154

AHO, J.: Freshwater snail populations and the equilibrium theory of island biogeography. II. Relative importance of chemical and spatial variables ..... 155—164

AHO, J.: Freshwater snail populations and the equilibrium theory of island biogeography. III. An explanation for the small number of species in South Bothnia, western Finland ..... 165—176

DALQUEST, W. W.: Phylogeny of American horses of Blancan and Pleistocene age ..... 191—199

DANELL, K.: Food habits of the muskrat, Ondatra zibethica (L.), in a Swedish lake ..... 177—181

ELDON, J. & KRISTOFFERSSON, R.: Factors affecting the burrowing activity of Macoma balthica (L.) ..... 127—131

FORSTÉN, A.: Hipparion and possible Iberian — North African Neogene connections ..... 294—297

FORSTÉN, A.: Hipparion primigenium (v. Meyer, 1829), an early three-toed horse ..... 298—313

GYLLENBERG, G. & LUNDQVIST, G.: Utilization of dissolved glucose by two copepod species ..... 323—327

GYLLENBERG, G. & LUNDQVIST, G.: Oxygen consumption of Eurytemora hirundoides nauplii and adults as a function of salinity ..... 328—330

HAAHTELA, I.: Methods for sampling scavenging benthic Crustacea, especially the Isopod Mesidotea entomon (L.) in the Baltic 182—185

HAAHTELA, I.: Morphology as evidence of maturity in Isopod Crustacea, as exemplified by Mesidotea entomon (L.) ..... 186—190

HAKALA, I.: Distribution, population dynamics and production of Mysis relicta (Lovén) in southern Finland ..... 243—258

HALLAS, T. E.: Habitat preference in terrestrial Tardigrades 66—68

HAUKIOJA, E. & HAKALA, T.: Measuring growth from shell rings in populations of Anodonta piscinalis (Pelecypoda, Unionidae) ..... 60—65

HUGHES, G. M., TUURALA, H. & SOIVIO, A.: Regional distribution of blood in the gills of rainbow trout in normoxia and hypoxia: a morphometric study with two fixatives ..... 226—234

JANSSON, A.: Viability of progeny in experimental crosses between geographically isolated populations of Arctocorisa carinata (C. Sahlberg) (Heteroptera, Corixidae) ..... 77—83

JANSSON, A. & PAJUNEN, V. I.: Morphometric comparison of geographically isolated populations of Arctocorisa carinata (C. Sahlberg) (Heteroptera, Corixidae) ..... 132—142

JÄRVINEN, O.: Estimating relative densities of land birds by point counts ..... 290—293

JÄRVINEN, O. & VÄISÄNEN, R. A.: Recent changes in forest bird populations in northern Finland ..... 279—289

KAIRESALO, P.: Ecology of Enchytraeids in meadow forest soil in southern Finland ..... 210—220

KURTÉN, B.: The Lynx from Etouaires, Lynx issiodorensis (Croizet & Jobert), late Pliocene ..... 314—322

OIKARI, A.: Effects of dilute media on renal hydromineral metabolism in the Baltic sculpins Myxocephalus scorpius (L.) and M. quadricornis (L.) ..... 53—59

OIKARI, A.: Ionic and osmotic balance in the pike, Esox lucius L., in fresh and brackish water ..... 84—88

PALMGREN, P.: Taxonomic position of the genus Meta (Araneida) 241—242

SAARISTO, M. I.: Spiders (Arachnida, Araneae) from the Seychelle Islands, with notes on taxonomy ..... 99—126

SALO, L. J.: Characteristics of ruffed grouse drumming sites in western Washington and their relevance to management ..... 261—278

SAVOLAINEN, E.: Swarming in Ephemeroptera: the mechanism of swarming and the effects of illumination and weather ..... 17—52

SEGERSTRÅLE, S. G.: The negative correlation between the abundances of the amphipod Pontoporeia and the bivalve Macoma in Baltic waters, and the factors involved ..... 143—145

SEGERSTRÅLE, S. G.: Upper limits of the depth range and temperature tolerance of the Baltic Pontoporeia affinis (Crustacea, Amphipoda) ..... 200—201

SOIVIO, A. & HUGHES, G. M.: Circulatory changes in secondary lamellae of Salmo gairdneri gills in hypoxia and anaesthesia 221—225

SÄRKKÄ, J.: New records of profundal Oligochaeta from Finnish lakes, with ecological observations ..... 235—240

TERHIVUO, J.: Growth, reproduction and hibernation of Arianta arbustorum (L.) (Gastropoda, Helicidae) in southern Finland 8—16

TERHIVUO, J. & VALOVIRTA, I.: Habitat spectra of the Lumbricidae (Oligochaeta) in Finland ..... 202—209

TURUNEN, S.: Multiplicity of tissue esterases in Pieris brassicae (L.) (Lepidoptera, Pieridae) ..... 89—93

TURUNEN, S.: Soluble proteins and lipoproteins in Pieris brassicae (L.) (Lepidoptera, Pieridae): developmental changes and distributional differences ..... 94—98

TÄHTI, H.: Seasonal differences in O_2 consumption and respiratory quotient in a hibernator (Erinaceus europaeus L.) ..... 69—75

Helsinki 1978 — Liikekirjapaino Oy